EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5825772".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:40
S2	2	"6115753".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:48
S3	0	S2 and loop	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:48
S4	0	S2 and loop$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:56
S5	2	"6167444".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:51
S6	2	"6185619".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:58
S7	1	S6 and loop$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 12:57
S8	2	"6246689".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:01

S9	2	"6286038".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:05
S10	0	"60298244".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:05
S11	2	"6298244".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:05
S12	2	"6412000".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:08
S13	2	"6484261".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:09
S14	2	"6502131".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/Q2/22 13:10
S15	2	"6633915".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:11
S16	2	"6646989".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:12

S17	2	"6697338".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:14
S18	2	"6760775".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:20
S19	2	"6871284".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:20
S20	2	"6909709".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:21
S21	2	"20020062359".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:22
S22	0	"200300221004".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:23
S23	2	"20030070070".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:24
S24	2	"20030172145".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:26

EAST Search History

S25	2	"20040030796".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:27
S26	2	"20050086300".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:27
S27	2	"20050105524".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:30
S28	11482	709/238-239,223,226,242.ccls. or 713/150-153.ccls. or 726/2-3,6, 11-13.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:30
S29	7233	S28 and @ad<"20011130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:32
S30	60716	(discover$3 or determin$4 or caculat$4) with loop$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:33
S31	39439	S30 and @ad<"20011130"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:35
S32	3359	S31 and ((network or lan or wan) with (loop$3 or topology))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:36

EAST Search History

S33	850	S32 and ((node or equipment or host or client) with (path or sequence))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:38
S34	72	S29 and S33	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 13:38
S35	11326	370/229,235,254-257,351-360.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 16:03
S36	106	S35 and S33	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 16:04
S37	59	S36 and ((source or origin$5) with node)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 16:04
S38	57	S37 and ((final or destination or end) with node)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/02/22 16:05

Set	Items	Description
S1	6512872	NODE? ? OR DEVICE? ? OR TERMINAL? ? OR COMPUTER? ? OR CLIE-NT? ?
S2	9569	S1(3N)(LOOP??? OR CIRCL???)
S3	25265	LOOP???(3N)(CLOSURE? ? OR CLOSE? ? OR CLOSING)
S4	116798	S1(3N)(SOURCE OR BEGIN? ? OR BEGINNING OR START??? OR ORIG-IN?? OR ORIGINAT???)
S5	90340	S1(3N)(END??? OR ENDPOINT? ? OR DESTINATION? ? OR FINAL OR LAST)
S6	14030	NETWORK(3N)(TOPOLOG??? OR MAP? ? OR MAPP??? OR PATH? ? OR -ROUT???)
S7	3305	S2:S3(3N)(INCLUD??? OR COMPRIS??? OR CONTAIN??? OR SET OR -SETS)
S8	4	S7 AND S6
S9	276	S2:S3(3N)(DETERMIN??? OR DISCOVER??? OR CALCULAT???)
S10	13	S9 AND S4:S6
S11	13	S10 NOT S8
S12	13	S11 NOT AD=20011130:20031130/PR
S13	12	S12 NOT AD=20031130:20060223/PR
S14	841	S1(3N)S3
S15	8	S14(3N)(DETERMIN??? OR DISCOVER??? OR CALCULAT???)
S16	8	S15 NOT (S8 OR S13)
S17	7	S16 NOT AD=20011130:20031130/PR
S18	5	S17 NOT AD=20031130:20060223/PR
S19	222	S2(3N)(END??? OR ENDPOINT? ? OR FINAL OR LAST OR LASTMOST)
S20	10	(S19 OR S14)(3N)(DETERMIN??? OR DISCOVER??? OR CALCULAT??? OR FIND???)
S21	4	S20 NOT (S8 OR S13 OR S18)
S22	1	LOOP()CLOSURE(2N)SET? ?
S23	12804	PATH? ?(3N)(CLOSURE? ? OR CLOSE? ? OR CLOSING)
S24	322	S1(3N)S23
S25	9	S14 AND S24
S26	9	S25 NOT (S8 OR S13 OR S18 OR S21)
S27	1	S26 AND IC=(G06F OR H04L)

Set	Items	Description
S1	1418930	NODE? ? OR DEVICE? ? OR TERMINAL? ? OR COMPUTER? ? OR CLIE-NT? ?
S2	13554	S1(3N)(LOOP??? OR CIRCL???)
S3	35803	LOOP???(3N)(CLOSURE? ? OR CLOSE? ? OR CLOSING)
S4	543	S2(3N)(END??? OR ENDPOINT? ? OR FINAL OR LAST)
S5	29332	NETWORK(3N)(TOPOLOG??? OR MAP? ? OR MAPP??? OR PATH? ? OR -ROUT???)
S6	83	(S3 OR S4)(S)S5
S7	55	S6 AND IC=(G06F OR H04L)
S8	49	S7 NOT AD=20011130:20031130/PR
S9	46	S8 NOT AD=20031130:20060223/PR
S10	697	(S3 OR S4)(3N)(DETERMIN??? OR DISCOVER??? OR CALCULAT??? OR FIND???)
S11	4	S10(S)S5
S12	27	S10(S)NETWORK???
S13	25	S12 NOT AD=20011130:20031130/PR
S14	24	S13 NOT AD=20031130:20060223/PR
S15	10	S14 AND IC=(G06F OR H04L)
S16	7	S15 NOT S11

```
Set     Items    Description
S1     8499817    NODE? ? OR DEVICE? ? OR TERMINAL? ? OR COMPUTER? ? OR CLIE-
                  NT? ?
S2       11771    S1(3N)(LOOP??? OR CIRCL???)
S3      140237    LOOP???(3N)(CLOSURE? ? OR CLOSE? ? OR CLOSING)
S4          90    S2(3N)(END??? OR ENDPOINT? ? OR FINAL OR LAST)
S5       99964    NETWORK(3N)(TOPOLOG??? OR MAP? ? OR MAPP??? OR PATH? ? OR -
                  ROUT???)
S6         361    (S3 OR S4) AND S5
S7        1444    (S3 OR S4)(3N)(DETERMIN??? OR DISCOVER??? OR CALCULAT??? OR
                  FIND???)
S8           6    S7 AND S5
S9           4    RD   (unique items)
S10         88    S7 AND NETWORK???
S11         59    RD   (unique items)
S12         34    S11 NOT PY=2002:2006
S13         33    S12 NOT S9
S14       5372    PATH? ?(3N)(CLOSURE? ? OR CLOSE? ? OR CLOSING)
S15        102    S14 AND S5
S16         14    S15 AND (S3 OR S4)
S17         10    RD   (unique items)
S18         10    S17 NOT (S9 OR S13)
S19          9    S18 NOT PY=2002:2006
```

Google

Web   Images   Groups   News   Froogle   Local   **more »**

loop closure node | Search | Advanced Search
                                          Preferences

Web

Results **1 - 10** of about **431,000** for <u>loop</u> <u>closure</u> <u>node</u>. (0.26 seconds)

Product search results for **loop closure node**

<u>Nike Team Visor</u> - $12.99 - Big Toe Soccer
<u>Adidas Youth Torneo Rain Jacket</u> - $59.99 - Big Toe Soccer
<u>Adidas Torneo Rain Jacket</u> - $69.99 - Big Toe Soccer

[PDF] <u>Combining Visual and Spatial Appearance for **Loop Closure** Detection ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
SLAM algorithm itself to detect **loop closure**. The naive ... Each **node** is a segment and
contains the CAF function, its entropy ...
www.robots.ox.ac.uk/~pnewman/papers/ECMR05.pdf - <u>Similar pages</u>

[PDF] <u>COMBINING VISUAL AND SPATIAL APPEARANCE FOR **LOOP CLOSURE** DETECTION ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
algorithm itself to detect **loop closure**. The naive approach adopted ... The generated
descriptors will be the values of each **node**. in Figure 3. ...
www.robots.ox.ac.uk/~klh/ECMRHoNewman.pdf - <u>Similar pages</u>

<u>Information and Computation -- 1995</u>
Redundancy elimination and **loop** checks for logic programs. ... Equivalence of NC^ k and
AC^{ k -1} **closures** of NP and other classes. ...
theory.lcs.mit.edu/~iandc/ic95.html - 77k - <u>Cached</u> - <u>Similar pages</u>

[PDF] <u>Improved Rao-Blackwellized Mapping by Adaptive Sampling and Active ...</u>
File Format: PDF/Adobe Acrobat - <u>View as HTML</u>
contains two **nodes**. In the middle image the robot is closing a **loop**. ... Additionally, we
analyze how the active termination of the **loop-closure** influ- ...
www.informatik.uni-freiburg.de/ ~burgard/postscripts/soave04loop.pdf - <u>Similar pages</u>

<u>What is Macro?</u>
... MACRO facilitates **closure** of high performance servo **loops** across the ring, ... When
TYPE 1 MACRO is used, there may be up to 14 slave **nodes** contained in ...
www.macro.org/MACROis.htm - 68k - <u>Cached</u> - <u>Similar pages</u>

[DOC] <u>Optimization of a RISC-Based Virtual Machine for Mobile Computations</u>
File Format: Microsoft Word - <u>View as HTML</u>
A major concept in compiler level optimization deals with **loop** structures, ... Functionality
provided for **closure nodes** includes **node** creation, ...
www.tcnj.edu/~mobcompl/PaperEC.doc - <u>Similar pages</u>

<u>MSI Tec .::. Productivity Through Technology</u>
This keeps all time-critical operations such as servo **loop closure**, coordinated motion, and
I/O handling local to the **node**. Plus, the network is used to ...
www.msitec.com/ engineering_resources_galil_ethernet_suitability.shtml - 19k -
<u>Cached</u> - <u>Similar pages</u>

[PPT] <u>PRM Methods for Closed Kinematic Chanis</u>
File Format: Microsoft Powerpoint 97 - <u>View as HTML</u>
connect roadmap **nodes** with the same **closure** structure using rigid body planners ...
Choice of where to break **loop** into active and passive parts is important ...